



Rolatube Expeditionary Systems Ltd



The RMTA 001 Micro Tripod



Contact: Will Pike, CEO, wp@rolatube.com

Headlines

- Conforms to Objective Criteria
- Lightweight: 2.25 Lbs
- Very Compact
- Design enables a full range of movement
- Holds weapon in place - all movement controlled by 1 x lever
- From a stable platform in the prone position To both sitting , kneeling and standing positions
- On Uneven terrain
- With obstacles
- Design enables quick movement and target acquisition
- Strong legs and surface area of the feet deliver substantial stability





The RMTA 001: Micro Tripod: Equipment



The Standard Tripod Kit:
Weighs 2.25 lbs



The Standard Tripod Kit with the Optional 1.5
mtr legs : **Weighs 4.5 lbs**

System Part Number: RMTA 001		
Part Numbers	Component Parts	Weight
207-005802	Tripod Mount with Picatinny Rail Adaptor	400 grams (0.88 lbs)
800-000014	Tripod Foot x 3	225 grams (0.49 lbs)
851-380700	Medium 38mm 70cm legs x 3	397 grams (0.87 lbs)
TOTAL WEIGHT		1022 grams (2.25 lbs)
502-003046	BAG	100 grams (0.2 lbs)
OPTIONAL EXTRAs		
851-380200	Short 38mm 20 cm legs x 3	121 grams (0.27 lbs)
851-381500	Long 38mm 150cm legs	859 grams (1.89 lbs)


Tripod Head Unit

Macro Ball

Adjust :

L/R & U/D & cant/tilt

Delivers 360 degree movement



Holds Weapon in place. 1 x lever controls all movement



Reverse Picatinny Rail Clamp Adaptor

This can be screwed off to reveal a 3/8" screw which allows for interoperability with the **Hogg Saddle**





Components & Compactness



Picatinny Rail
Grabber and Tripod
head Mount



- Standard Kit : 2.25 Lbs
- With optional long legs: 4.5 Lbs
- Head Unit with Pic Rail Grabber
- 3 x RolaTube medium Legs
- 3 x Feet
- Optional
- 3 long (1.5 mtr) legs
- 3 x RolaTube short Legs
- Fine adjust head



3 x 70cm Legs

3 x Feet

Versatile

- Successfully trialled in the UK & US with .308, 338 and .50cal Rifles
- Sitting, Kneeling, Standing Positions
- Interoperable with Picatinny Rail and Hogg Saddle





Rolatube Expeditionary Systems Ltd

CONTACT:

Will Pike

CEO

Rolatube Expeditionary Systems Ltd
Room 1073, Building A8, Cody Technology Park,
Farnborough, Hampshire, UK, GU14 0LX

Registered Company Number: 8833973

VAT Number: 181483204

NCAGE Code Number: U0910

DUNS Number: 219822130

Registered on SAMs site

UK Mobile: 0044 7921 022943

US Cell No: 202-812-0561

E: wp@rolatube.com

The RMTA Precision Shooting Tripod



Flickr: www.flickr.com/photos/rolatubeexpeditionarysystems